


CHECK OUT OUR
NEW
PRODUCTS
AVAILABLE NOW

PETROLEUM CONTAINMENT, INC.

EXCEEDING THE STANDARDS IN SECONDARY CONTAINMENT



c **UL** us
LISTED
UL2447

Quality Fiberglass Secondary
Containment Products

PRICE LIST 2021

Effective 5.15.2021 | Supersedes all previous price lists

www.petroleum-containment.com



Table of Contents

Tank Sumps

4200 Series Tank Sumps	3
PCM4200 Series Tank Sumps	4
4500 Series Tank Sumps	5
4800 Series Tank Sumps	6

Dispenser Sumps

RSA Dispenser Sumps	7
RSC Dispenser Sumps	7
DP Series Dispenser Sumps	7
CLE / CLS Conduitless Entry Sumps	7
DEF Series Dispenser Sumps	7
DCL Conduitless Entry Sumps	7
MVR Dispenser Sumps	7

Twist-Lok Retrofit Kits	8
--------------------------------------	---

Transition Sumps

Below Grade Transition Sumps	9
Grade Level Transition Sumps	10

Tank Collars	11
---------------------------	----

Fiberglass Penetration Fittings

New Construction Fittings	12
Repair Fittings	13

Double Wall Sumps	15
--------------------------------	----

Tank Sump Accessories	16
------------------------------------	----

Accessories	17
--------------------------	----

Dispenser Conversion Kits

Dispenser Conversion Frames and Plates	18
--	----





4200 SERIES (SOLID BOTTOM) TANK SUMPS

PART NUMBER	SUMP HEIGHT	LID STYLE	MANHOLE COVER (MIN)	BASE STYLE	BONDING KITS INCLUDED	UNIT PRICE
SHALLOW BURIAL						
PC4224-CB0	24"	COMPRESSION	36"	SOLID BOTTOM	NONE	1,043.00
PC4224-CB1	24"	COMPRESSION	36"	SOLID BOTTOM	E148CM	1,244.00
PC4224-CB4	24"	COMPRESSION	36"	SOLID BOTTOM	(2) GK-42	1,244.00
PC4230-3B0	24" - 31"	TWIST-LOK	38"	SOLID BOTTOM	NONE	1,348.00
PC4230-3B1	24" - 31"	TWIST-LOK	38"	SOLID BOTTOM	E148CM	1,544.00
PC4230-3B4	24" - 31"	TWIST-LOK	38"	SOLID BOTTOM	(2) GK-42	1,544.00
MEDIUM BURIAL						
PC4240-CB0	29" - 39"	COMPRESSION	36"	SOLID BOTTOM	NONE	1,198.00
PC4240-CB1	29" - 39"	COMPRESSION	36"	SOLID BOTTOM	E148CM	1,407.00
PC4240-CB4	29" - 39"	COMPRESSION	36"	SOLID BOTTOM	(2) GK-42	1,407.00
PC4240-3B0	29" - 39"	TWIST-LOK	38"	SOLID BOTTOM	NONE	1,496.00
PC4240-3B1	29" - 39"	TWIST-LOK	38"	SOLID BOTTOM	E148CM	1,683.00
PC4240-3B4	29" - 39"	TWIST-LOK	38"	SOLID BOTTOM	(2) GK-42	1,683.00
DEEP BURIAL						
PC4250-CB0	29" - 51"	COMPRESSION	36"	SOLID BOTTOM	NONE	1,406.00
PC4250-CB1	29" - 51"	COMPRESSION	36"	SOLID BOTTOM	E148CM	1,576.00
PC4250-CB4	29" - 51"	COMPRESSION	36"	SOLID BOTTOM	(2) GK-42	1,576.00
PC4250-3B0	29" - 51"	TWIST-LOK	38"	SOLID BOTTOM	NONE	1,686.00
PC4250-3B1	29" - 51"	TWIST-LOK	38"	SOLID BOTTOM	E148CM	1,878.00
PC4250-3B4	29" - 51"	TWIST-LOK	38"	SOLID BOTTOM	(2) GK-42	1,878.00
ACCESSORIES						
E148CM	EPOXY KIT FOR RISER TO CANOPY AND CANOPY TO BASE					215.00
GK-42	FIBERGLASS KIT FOR RISER TO CANOPY OR CANOPY TO BASE					99.00
IP4000-1	4" INSPECTION PORT (INSTALLED WHEN ORDERED WITH LID)					62.00

Features and Benefits

100% Fiberglass Construction

Presence of liquid fuel will not void manufacturer's warranty regardless of length of exposure. Most polysump manufacturers require fuel to be removed within 24 hours or warranty is voided.

Split Component Design

Allows easy accessibility to reduce installation time and provides a higher installation quality than one piece poly sump designs with confined installation space.

Nestable

Significantly reduces shipping costs by fitting more sumps on less pallets.

Signature "Brite-White" Interior

Our signature "Brite-White" interior reflects light for better visibility and makes identifying leak points easier.

* Optimal lid height is 4" below manhole cover. Not for use with 42" tank collar. Prices subject to change without notification.

Thick Fiberglass Base

Will not deform and provides better protection against cracks in the bottom of the sump due to insufficient back-fill.

Repairable

Fiberglass is easily repaired if drilled improperly. Poly sumps can not be fixed.

Octagon Base

Provides flat sealing surfaces for 45° and 90° penetrations.



The 4200 Series is a cost effective fiberglass alternative to polyethylene tank sumps.

Fiberglass construction guarantees long-term reliability without deforming or cracking.

Available with Bolt-down or Twist-Lok access covers.



8873 Western Way, Jacksonville, Florida 32256 (904) 358-1700

www.petroleum-containment.com



PCM4200 SERIES (COLLAR MOUNT) TANK SUMPS

PART NUMBER	SUMP HEIGHT	LID STYLE	MANHOLE COVER (MIN)	BASE STYLE	BONDING KITS INCLUDED	UNIT PRICE
PCM4233-3C0	29" - 33"	TWIST-LOK	38"	NO BOTTOM (42" ID)	NONE	1,295.00
PCM4233-3C2	29" - 33"	TWIST-LOK	38"	NO BOTTOM (42" ID)	E148CM / E142CM	1,615.00
PCM4248-3C0	30" - 48"	TWIST-LOK	38"	NO BOTTOM (42" ID)	NONE	1,512.00
PCM4248-3C2	30" - 48"	TWIST-LOK	38"	NO BOTTOM (42" ID)	E148CM / E142CM	1,832.00
PCM4255-3C0	30" - 55"	TWIST-LOK	38"	NO BOTTOM (42" ID)	NONE	1,585.00
PCM4255-3C2	30" - 55"	TWIST-LOK	38"	NO BOTTOM (42" ID)	E148CM / E142CM	1,906.00

ACCESSORIES		
E142CM	EPOXY KIT FOR SUMP BASE TO 52" TANK COLLAR	164.00
E148CM	EPOXY KIT FOR SUMP RISER TO SUMP BASE	215.00
IP4000-1	4" INSPECTION PORT (INSTALLED WHEN ORDERED WITH LID)	62.00

Features and Benefits

Cost Effective

The PCM4200 Series is the most affordable fiberglass collar mount tank sump on the market. Without compromising quality or functionality the PCM4200 Series sumps reduce overall installation costs.

Octagon Base

Provides flat sealing surfaces at angles of 45° and 90°. This allows for faster installation using standard penetration and pipe fittings.

Signature "Brite-White" Interior

Reflects light better, offering excellent visibility for future testing, product service, inspection and repairs.

Split Component Design

Allows easy accessibility to reduce installation time and provides a higher installation quality than one piece poly sump designs with confined installation space.

Adjustable Height

Easily adjust sump height with one simple field cut. Built-in epoxy trough guarantees a watertight seam with a single epoxy pour.

Watertight Access Cover

Innovative 12-Point "Twist-Lok" access cover offers the most dependable watertight protection.

PCM4200 Series is the most economically sized tank sump that will get the job done.

This product line is engineered with the same features and benefits as its larger counterparts.

Various height options add to the versatility of this quality designed product line.



PCM4248-3C0



Optional 4" Inspection Port
Allows quick and easy inspection without removing entire cover.
IP4000-1



8873 Western Way, Jacksonville, Florida 32256 (904) 358-1700

www.petroleum-containment.com

PETROLEUM CONTAINMENT, INC.

4500 SERIES TANK SUMPS



The 4500 Series are 100% fiberglass and offer long-term reliability without deforming or cracking.

4500 Series tank sumps provide one sump that works for all single STP applications. Exposure to fuel will never void our warranty.

PART NUMBER	SUMP HEIGHT	LID STYLE	MANHOLE COVER (MIN)	BASE STYLE	BONDING KITS INCLUDED	UNIT PRICE
MEDIUM BURIAL						
PC4540U-3B0	30"- 38"	TWIST-LOK	38"	SOLID BOTTOM	NONE	1,719.00
PC4540U-3B1	30"- 38"	TWIST-LOK	38"	SOLID BOTTOM	E148CM	1,927.00
PC4540U-3B2	30"- 38"	TWIST-LOK	38"	SOLID BOTTOM	E148CM / E142CM	2,072.00
PC4540U-3B3	30"- 38"	TWIST-LOK	38"	SOLID BOTTOM	GK-55	1,838.00
PC4540U-3B4	30"- 38"	TWIST-LOK	38"	SOLID BOTTOM	GK-55 / GK-42	1,931.00
PC4540U-3C0	30"- 38"	TWIST-LOK	38"	NO BOTTOM (42" ID)	NONE	1,719.00
PC4540U-3C2	30"- 38"	TWIST-LOK	38"	NO BOTTOM (42" ID)	E148CM / E142CM	2,065.00
PC4540U-3C4	30"- 38"	TWIST-LOK	38"	NO BOTTOM (42" ID)	GK-55 / GK-42	1,931.00
PC4550U-3B0	30"- 48"	TWIST-LOK	38"	SOLID BOTTOM	NONE	1,944.00
PC4550U-3B1	30"- 48"	TWIST-LOK	38"	SOLID BOTTOM	E148CM	2,145.00
PC4550U-3B2	30"- 48"	TWIST-LOK	38"	SOLID BOTTOM	E148CM / E142CM	2,284.00
PC4550U-3B3	30"- 48"	TWIST-LOK	38"	SOLID BOTTOM	GK-55	2,058.00
PC4550U-3B4	30"- 48"	TWIST-LOK	38"	SOLID BOTTOM	GK-55 / GK-42	2,150.00
PC4550U-3C0	30"- 48"	TWIST-LOK	38"	NO BOTTOM (42" ID)	NONE	1,944.00
PC4550U-3C2	30"- 48"	TWIST-LOK	38"	NO BOTTOM (42" ID)	E148CM / E142CM	2,284.00
PC4550U-3C4	30"- 48"	TWIST-LOK	38"	NO BOTTOM (42" ID)	GK-55 / GK-42	2,150.00
DEEP BURIAL						
PC4560U-3B0	30"- 58"	TWIST-LOK	38"	SOLID BOTTOM	NONE	2,164.00
PC4560U-3B1	30"- 58"	TWIST-LOK	38"	SOLID BOTTOM	E148CM	2,356.00
PC4560U-3B2	30"- 58"	TWIST-LOK	38"	SOLID BOTTOM	E148CM / E142CM	2,496.00
PC4560U-3B3	30"- 58"	TWIST-LOK	38"	SOLID BOTTOM	GK-55	2,277.00
PC4560U-3B4	30"- 58"	TWIST-LOK	38"	SOLID BOTTOM	GK-55 / GK-42	2,363.00
PC4560U-3C0	30"- 58"	TWIST-LOK	38"	NO BOTTOM (42" ID)	NONE	2,164.00
PC4560U-3C2	30"- 58"	TWIST-LOK	38"	NO BOTTOM (42" ID)	E148CM / E142CM	2,496.00
PC4560U-3C4	30"- 58"	TWIST-LOK	38"	NO BOTTOM (42" ID)	GK-55 / GK-42	2,356.00

ACCESSORIES		UNIT PRICE
E142CM	EPOXY KIT FOR SUMP BASE TO 52" TANK COLLAR	164.00
E148CM	EPOXY KIT FOR SUMP RISER TO SUMP BASE	215.00
GK-42	FIBERGLASS KIT FOR SUMP BASE TO 42" TANK COLLAR	99.00
GK-55	FIBERGLASS KIT FOR SUMP RISER TO SUMP BASE	125.00
IP4000-1	4" INSPECTION PORT (INSTALLED WHEN ORDERED WITH LID)	62.00

Features and Benefits

100% Fiberglass Materials

Provide a rigid construction that prevents deforming due to backfill. Fiberglass can be easily repaired in the field by qualified technicians if drilled incorrectly or damaged by construction equipment.

Universal Base

A rigid 12-sided sump base that can be used on a 42" UST collar, a manway, or a bung adapter. Smooth flat panels are easy to drill and provide leak-tight sealing surface for penetration fittings.

Adjustable Upper Body

A large adjustable top provides 28" of height adjustability to work in both shallow burial as well as deep burial applications, with only one simple field determined cut.

"Twist-Lok" Access Cover

The latest generation of PCI's patented "Twist-Lok" Access Covers provide a truly watertight seal with a quick and easy 12° turn.

4" Inspection Port

Optional inspection port allows quick inspection without removing the entire access cover.

Two-Part Design with Epoxy Bonding Trough

Makes installations simpler than ever. Installers have plenty of room to install the equipment in the base before the upper body is attached. Then, one simple epoxy pour guarantees a watertight bond.



* Optimal lid height is 4" below manhole cover. Prices subject to change without notification.



Optional 4" Inspection Port
Allows quick and easy inspection without removing entire cover



8873 Western Way, Jacksonville, Florida 32256 (904) 358-1700

www.petroleum-containment.com

PETROLEUM CONTAINMENT, INC.

4800 SERIES TANK SUMPS



PART NUMBER	SUMP HEIGHT	LID STYLE	MANHOLE COVER (MIN)	BASE STYLE	BONDING KITS INCLUDED	UNIT PRICE
MEDIUM BURIAL						
PC4840U-3B0	32" - 40"	TWIST-LOK	38"	SOLID BOTTOM	NONE	1,898.00
PC4840U-3B1	32" - 40"	TWIST-LOK	38"	SOLID BOTTOM	E148CM	2,104.00
PC4840U-3B2	32" - 40"	TWIST-LOK	38"	SOLID BOTTOM	E148CM (2)	2,303.00
PC4840U-3C0	32" - 40"	TWIST-LOK	38"	NO BOTTOM (42" ID)	NONE	1,898.00
PC4840U-3C2	32" - 40"	TWIST-LOK	38"	NO BOTTOM (42" ID)	E148CM (2)	2,303.00
PC4840U-3D0	32" - 40"	TWIST-LOK	38"	NO BOTTOM (48" ID)	NONE	1,898.00
PC4840U-3D2	32" - 40"	TWIST-LOK	38"	NO BOTTOM (48" ID)	E148CM (2)	2,303.00
PC4852U-3B0	44" - 52"	TWIST-LOK	38"	SOLID BOTTOM	NONE	2,217.00
PC4852U-3B1	44" - 52"	TWIST-LOK	38"	SOLID BOTTOM	E148CM	2,419.00
PC4852U-3B2	44" - 52"	TWIST-LOK	38"	SOLID BOTTOM	E148CM (2)	2,622.00
PC4852U-3C0	44" - 52"	TWIST-LOK	38"	NO BOTTOM (42" ID)	NONE	2,217.00
PC4852U-3C2	44" - 52"	TWIST-LOK	38"	NO BOTTOM (42" ID)	E148CM (2)	2,622.00
PC4852U-3D0	44" - 52"	TWIST-LOK	38"	NO BOTTOM (48" ID)	NONE	2,217.00
PC4852U-3D2	44" - 52"	TWIST-LOK	38"	NO BOTTOM (48" ID)	E148CM (2)	2,622.00
DEEP BURIAL						
PC4860U-3B0	32" - 60"	TWIST-LOK	38"	SOLID BOTTOM	NONE	2,456.00
PC4860U-3B1	32" - 60"	TWIST-LOK	38"	SOLID BOTTOM	E148CM	2,661.00
PC4860U-3B2	32" - 60"	TWIST-LOK	38"	SOLID BOTTOM	E148CM (2)	2,860.00
PC4860U-3C0	32" - 60"	TWIST-LOK	38"	NO BOTTOM (42" ID)	NONE	2,456.00
PC4860U-3C2	32" - 60"	TWIST-LOK	38"	NO BOTTOM (42" ID)	E148CM (2)	2,860.00
PC4860U-3D0	32" - 60"	TWIST-LOK	38"	NO BOTTOM (48" ID)	NONE	2,456.00
PC4860U-3D2	32" - 60"	TWIST-LOK	38"	NO BOTTOM (48" ID)	E148CM (2)	2,860.00
PC4872U-3B0	44" - 72"	TWIST-LOK	38"	SOLID BOTTOM	NONE	2,774.00
PC4872U-3B1	44" - 72"	TWIST-LOK	38"	SOLID BOTTOM	E148CM	2,980.00
PC4872U-3B2	44" - 72"	TWIST-LOK	38"	SOLID BOTTOM	E148CM (2)	3,179.00
PC4872U-3C0	44" - 72"	TWIST-LOK	38"	NO BOTTOM (42" ID)	NONE	2,774.00
PC4872U-3C2	44" - 72"	TWIST-LOK	38"	NO BOTTOM (42" ID)	E148CM (2)	3,179.00
PC4872U-3D0	44" - 72"	TWIST-LOK	38"	NO BOTTOM (48" ID)	NONE	2,774.00
PC4872U-3D2	44" - 72"	TWIST-LOK	38"	NO BOTTOM (48" ID)	E148CM (2)	3,179.00

ACCESSORIES			UNIT PRICE
E142CM	EPOXY KIT FOR SUMP BASE TO 42" TANK COLLAR		164.00
E148CM	EPOXY KIT FOR SUMP BASE TO 48" TANK COLLAR / EPOXY KIT FOR CANOPY TO SUMP BASE		215.00
GK-42	FIBERGLASS KIT FOR ADJUSTABLE RISER TO CANOPY / SUMP BASE TO 42" TANK COLLAR		99.00
GK-55	FIBERGLASS KIT FOR CANOPY OR UPPER BODY RISER / SUMP BASE TO 48" TANK COLLAR		125.00
IP4000-1	4" INSPECTION PORT (INSTALLED WHEN ORDERED WITH LID)		62.00

Features and Benefits

100% Fiberglass Construction

Non-corrosive material to provide long-term reliable containment from fuel exposure without voiding warranty, warping, cracking or becoming brittle.

Large Rigid Base

Different bases are available including collar mount, solid bottom and a universal bottom which works for all three types of installations such as 42" and 48" collar mounts, bung mount and manways.

Signature "Brite-White" Interior

Reflects light better, offering excellent visibility for future testing, product service, inspection and repairs.

* Prices subject to change without notification.

Offers a resin-rich surface that acts as your first protective barrier against any contained material. Prevents "Wicking" and offers a smooth flat bonding surface for a superior seal for all types of entry fittings.

Factory Prepped

All PCI tank sumps can be prepared at the factory to save installers time and money.

"Twist-Lok" Access Cover

The latest generation of PCI's patented 12-Point "Twist-Lok" Access Covers provide a truly watertight seal with a quick and easy 120° turn. 8-Lug Bolt-Down access covers are also available.

PC4872U



Optional 4" Inspection Port
Allows quick and easy inspection
without removing entire cover



8873 Western Way, Jacksonville, Florida 32256 (904) 358-1700

www.petroleum-containment.com



DISPENSER SUMPS

PART NUMBER	PART DESCRIPTION	PRICE ¹
RSA SERIES	CONDUITLESS ENTRY DISPENSER SUMP	772.00
RSC SERIES	CONDUITLESS ENTRY DISPENSER SUMP	868.00
DP SERIES	CONDUITLESS ENTRY DISPENSER SUMP (SHALLOW PAN)	751.00
DCL SERIES	CONDUITLESS ENTRY DISPENSER SUMP (DOUBLE END)	1,099.00
CLS SERIES	CONDUITLESS ENTRY DISPENSER SUMP (SINGLE END), SMALL	916.00
CLE SERIES	CONDUITLESS ENTRY DISPENSER SUMP (SINGLE END), LARGE	1,026.00
DEF SERIES	DUAL COMPARTMENT CONDUITLESS ENTRY DISPENSER SUMP FOR DEF	1,745.00
MVR 1000 SERIES	MVR SERIES DISPENSER SUMP, SMALL	865.00
MVR 2000 SERIES	MVR SERIES DISPENSER SUMP, SMALL	865.00
MVR 3000 SERIES	MVR SERIES DISPENSER SUMP, MEDIUM	933.00
MVR 4000 SERIES	MVR SERIES DISPENSER SUMP, LARGE	1,015.00
SAV ²	SHEAR VALVE STABILIZER BAR KIT	66.00

ORDERING INFORMATION

COMMON MODEL DISPENSER	RSC SERIES	CLE SERIES	CLS SERIES	DEF SERIES	DCL SERIES	MVR SERIES
BENNETT PACIFIC	RSC146360B	CLE146390B	NA	NA	DCL146360B	MVR43158
BENNETT 3000	RSC120206	NA	CLS120206	NA	NA	MVR2715A
GILBARCO ENCORE 300/500/700	RSC174360	CLE174375	NA	NA	DCL174360	MVR4422
GILBARCO ENCORE W / DEF	NA	NA	NA	DEF174360	NA	NA
WAYNE OVATION	RSC146360	CLE146390	NA	NA	DCL146360	MVR4315
WAYNE OVATION HS	RSC14360HS	CLE146390HS	NA	NA	DCL146360HS	NA
WAYNE OVATION HS W / DEF	NA	NA	NA	DEF1542820	NA	NA
WAYNE HELIX 36"	NA	NA	CLS170260	NA	NA	MVR3421
WAYNE HELIX 48"	NA	CLE170365	NA	NA	DCL170370	MVR4421

Pre-Plumbed Dispenser


Petroleum Containment offers the option to Pre-Plumb any model across our entire line of dispenser sumps. Pre-Plumbed Dispenser Sumps offer a 30 Year Water Intrusion Warranty and undergo pressure and hydrostatic testing BEFORE they are shipped from the factory to your site. Our controlled Production Environment, CNC Machinery, CAD Drawings and Professional Fiberglass Labor allow Petroleum Containment to standardize the Factory Quality Production, Precision and Consistency your installation demands.

As an OEM, our pricing delivers savings in production and allows customers to control costs. Standardizing the plumbing and production creates consistency across the installation and saves valuable time and expense. The precision of pre-plumbed sumps allows installers to "plug and play" in the field, resulting in reduced costs and an installation completed more quickly and efficiently than standard field-plumbed installations.

¹ Assembly includes Dispenser Sump Box, Frame, Dispenser Mounting hardware and one tube of urethane sealant. Assembly does not include shear valve stabilizer bar kit.

² One Stabilizer Bar Kit required per Emergency Shut Off Valve or Vapor Valve.

Other model and sizes available.
Prices subject to change without notification.



Shear Valve Stabilizer Assembly (Sold Separately)



NEW PRODUCT

RSA Dispenser Sump



RSC Dispenser Sump



NEW PRODUCT

DP Series Dispenser Sump



DCL Conduitless Entry Dispenser Sump



CLE / CLS Conduitless Entry Dispenser Sump



DEF Series Dispenser Sump



8873 Western Way, Jacksonville, Florida 32256 (904) 358-1700

www.petroleum-containment.com



TWIST-LOK RETROFIT LID SYSTEMS

PART NUMBER	DESCRIPTION	EXISTING SUMP	BONDING KITS INCLUDED	HEIGHT	MANHOLE COVER (MIN)	UNIT PRICE
12PLS-1E	TWIST-LOK RETROFIT KIT	FIBERGLASS	EPOXY	6"- 11"	38"	930.00
12PLS-1E-M	TWIST-LOK RETROFIT KIT	FIBERGLASS	EPOXY, MED	6"- 11"	38"	978.00
12PLS-1E-L	TWIST-LOK RETROFIT KIT	FIBERGLASS	EPOXY, LRG	6"- 11"	38"	1,035.00
12PLS-1F	TWIST-LOK RETROFIT KIT W/ ADAPTER PLATE	FIBERGLASS	ADHESIVE ¹	6"- 11"	38"	1,033.00
12PLS-1G	TWIST-LOK RETROFIT KIT W/ ADAPTER PLATE	FIBERGLASS	FIBERGLASS	6"- 11"	38"	1,033.00
12PLS-1P	TWIST-LOK RETROFIT KIT W/ ADAPTER PLATE	POLYETHYLENE	CLEAR-MAGIC	6"- 11"	38"	1,201.00
12PLS-1N	TWIST-LOK RETROFIT KIT W/ ADAPTER PLATE ONLY	ANY	NONE	6"- 11"	38"	978.00
12PLS-1X	TWIST-LOK RETROFIT KIT ONLY	ANY	NONE	6"- 11"	38"	878.00
12PLS-7E	TWIST-LOK RETROFIT KIT (MEDIUM HEIGHT)	FIBERGLASS	EPOXY	7"- 20"	38"	1,075.00
12PLS-7F	TWIST-LOK RETROFIT KIT (MEDIUM HEIGHT)	FIBERGLASS	ADHESIVE ¹	7"- 20"	38"	1,166.00
12PLS-7G	TWIST-LOK RETROFIT KIT (MEDIUM HEIGHT)	FIBERGLASS	FIBERGLASS	7"- 20"	38"	1,166.00
12PLS-7P	TWIST-LOK RETROFIT KIT (MEDIUM HEIGHT)	POLYETHYLENE	CLEAR-MAGIC	7"- 20"	38"	1,336.00
12PLS-3E	TWIST-LOK RETROFIT KIT (EXTENDED HEIGHT)	FIBERGLASS	EPOXY	7"- 32"	38"	1,205.00
12PLS-3F	TWIST-LOK RETROFIT KIT (EXTENDED HEIGHT)	FIBERGLASS	ADHESIVE ¹	7"- 32"	38"	1,205.00
12PLS-3G	TWIST-LOK RETROFIT KIT (EXTENDED HEIGHT)	FIBERGLASS	FIBERGLASS	7"- 32"	38"	1,205.00
12PLS-3P	TWIST-LOK RETROFIT KIT (EXTENDED HEIGHT)	POLYETHYLENE	CLEAR-MAGIC	7"- 32"	38"	1,466.00
RF-BD8-E	8 LUG BOLT-DOWN RETROFIT KIT W/ ADAPTER PLATE	FIBERGLASS	EPOXY	6"	38"	841.00
RF-BD8-F	8 LUG BOLT-DOWN RETROFIT KIT W/ ADAPTER PLATE	FIBERGLASS	ADHESIVE ¹	6"	38"	841.00
RF-BD8-G	8 LUG BOLT-DOWN RETROFIT KIT W/ ADAPTER PLATE	FIBERGLASS	FIBERGLASS	6"	38"	841.00
RF-BD8-P	8 LUG BOLT-DOWN RETROFIT KIT W/ ADAPTER PLATE	POLYETHYLENE	CLEAR-MAGIC	6"	38"	1,075.00

ACCESSORIES

ADH-FG50ML ¹	ADHESIVE FOR FIBERGLASS RETROFIT (2 - 50 ML CARTRIDGES)	100.00
EQP-50ML101S	APPLICATOR GUN FOR 50 ML CARTRIDGES	105.00
GK-42	FIBERGLASS KIT FOR RETROFIT LID CONVERSION KIT TO EXISTING TANK SUMP	99.00
IP4000-1	4" INSPECTION PORT (INSTALLED WHEN ORDERED WITH LID)	62.00

¹ Requires adhesive applicator gun (sold separately).



Twist-Lok Lid - The 12-Point Access Cover

Our patented Twist-Lok Access covers have set the standard in quality and watertight dependability. With a simple Twist, you can be sure that your sumps will be watertight every time.

Twist-Lok Lid Retrofit Kits

The simple, cost effective solution for leaking tank sump covers. Ordering is simple, installation is quick and leaking sump covers can be repaired without breaking concrete. Complete our Pre-installation Survey for a custom solution.

Twist-Lok Lid 12-Point Access Cover

Features and Benefits

Injection Molded Fiberglass Construction

12-Point Access Cover

12 points of contact for a true watertight sealing surface.

Raise Rounded Surface

Keeps dirt and debris from interfering with the true seal between the lid and the collar.

Hard Stop

Never over tighten. Easy to remove. Watertight.

Twist-Lok Lid Retro Kits

Features and Benefits

Available for Polyethylene or Fiberglass Sumps.

Installs Through a 36" Manhole

Repair / Raise sumps lids without breaking concrete.

Eliminates Trip Charges

For water calls, fines and hazardous waste fees.

Optional Inspection Port

Allows inspection without removing entire cover.



12 PLS-1P Retrofit Kit on Poly Sump

Optional 4" Inspection Port

12PLS-1E
12PLS-1X

12PLS-1P
12PLS-1G
12PLS-1F
12PLS-1N



Prices subject to change without notification.



8873 Western Way, Jacksonville, Florida, 32256 (904) 358-1700

www.petroleum-containment.com



TSM SERIES TRANSITION SUMPS - BELOW GRADE



PART NUMBER	SIZE	SUMP HEIGHT	BASE HEIGHT	ADJUSTABLE RISER HEIGHT	LID STYLE	BOTTOM	MINIMUM MANHOLE COVER	BONDING KITS INCLUDED	UNIT PRICE
TSM424236B-3B1	42"x 42"	46"	18"	18"	TWIST-LOK	SOLID	38"	E142CM	2,444.00
TSM424248B-3B1	42"x 42"	58"	18"	30"	TWIST-LOK	SOLID	38"	E142CM	2,786.00
TSM424248D-3B1	42"x 42"	58"	30"	18"	TWIST-LOK	SOLID	38"	E142CM	2,786.00
TSM424260D-3B1	42"x 42"	70"	30"	30"	TWIST-LOK	SOLID	38"	E142CM	3,125.00
TSM484824B-3B1	48"x 48"	34"	18"	6"	TWIST-LOK	SOLID	38"	E148CM	2,431.00
TSM484824BU-3C2	48"x 48"	40"	24"	6"	TWIST-LOK	42" COLLAR	38"	E148CM	2,527.00
TSM484836B-3B1	48"x 48"	46"	18"	18"	TWIST-LOK	SOLID	38"	E148CM	2,762.00
TSM484836BU-3C2	48"x 48"	52"	24"	18"	TWIST-LOK	42" COLLAR	38"	E148CM	2,915.00
TSM484836D-3B1	48"x 48"	46"	30"	6"	TWIST-LOK	SOLID	38"	E148CM	2,762.00
TSM484836DU-3C2	48"x 48"	52"	36"	6"	TWIST-LOK	42" COLLAR	38"	E148CM	2,915.00
TSM484848B-3B1	48"x 48"	58"	18"	30"	TWIST-LOK	SOLID	38"	E154CM	3,094.00
TSM484848BU-3C2	48"x 48"	64"	24"	30"	TWIST-LOK	42" COLLAR	38"	E148CM	3,279.00
TSM484848D-3B1	48"x 48"	58"	30"	18"	TWIST-LOK	SOLID	38"	E148CM	3,094.00
TSM484848DU-3C2	48"x 48"	64"	36"	30"	TWIST-LOK	42" COLLAR	38"	E148CM	3,279.00
TSM484860D-3B1	48"x 48"	70"	30"	30"	TWIST-LOK	SOLID	38"	E148CM	3,430.00
TSM484860DU-3C2	48"x 48"	76"	36"	30"	TWIST-LOK	42" COLLAR	38"	E148CM	3,692.00
TSM606036B-3B1	60"x 60"	46"	18"	18"	TWIST-LOK	SOLID	38"	E154CM	3,692.00
TSM606036BU-3C2	60"x 60"	52"	24"	18"	TWIST-LOK	42" COLLAR	38"	E154CM	3,817.00
TSM606036BU-3D2	60"x 60"	52"	24"	18"	TWIST-LOK	48" COLLAR	38"	E154CM	3,817.00
TSM606048B-3B1	60"x 60"	58"	18"	30"	TWIST-LOK	SOLID	38"	E154CM	4,219.00
TSM606048BU-3C2	60"x 60"	64"	24"	30"	TWIST-LOK	42" COLLAR	38"	E154CM	4,317.00
TSM606048BU-3D2	60"x 60"	64"	24"	30"	TWIST-LOK	48" COLLAR	38"	E148CM	4,317.00
TSM606048D-3B1	60"x 60"	58"	30"	18"	TWIST-LOK	SOLID	38"	E154CM	4,219.00
TSM606048DU-3C2	60"x 60"	64"	36"	18"	TWIST-LOK	42" COLLAR	38"	E154CM	4,317.00
TSM606048DU-3D2	60"x 60"	64"	36"	18"	TWIST-LOK	48" COLLAR	38"	E154CM	4,317.00
TSM606060D-3B1	60"x 60"	70"	30"	30"	TWIST-LOK	SOLID	38"	E154CM	4,447.00
TSM606060DU-3C2	60"x 60"	76"	36"	30"	TWIST-LOK	42" COLLAR	38"	E154CM	4,864.00
TSM606060DU-3D2	60"x 60"	76"	36"	30"	TWIST-LOK	48" COLLAR	38"	E154CM	4,864.00
TSM606060DU-3E2	60"x 60"	76"	36"	30"	TWIST-LOK	54" COLLAR	38"	E154CM	4,864.00

Transition Sumps are the most versatile containment sump.

They can be used to transition from above ground steel pipe to underground fiberglass or flex piping for use with AST or vent lines.

They can also be used as an intermediate sump for a system low point, or contain accessible equipment such as underground ball valves.

Features and Benefits

100% Fiberglass Construction

Non-corrosive material to provide long-term reliable containment from fuel exposure without voiding warranty, warping cracking or becoming brittle.

Large Rigid Base

Different bases are available including collar mount, solid bottom which works for all three types of installations such as 42" and 48" collar mounts, bung mount and manways.

Signature "Brite-White" Interior

Reflects light better, offering excellent visibility for future testing, product service, inspection and repairs. Offers a resin-rich surface that acts as your first protective barrier against any contained material. Prevents "Wicking" and offers a smooth flat bonding surface for a superior seal for all types of entry fittings.

* Prices subject to change without notification.

ACCESSORIES

E142CM	EPOXY KIT, MEDIUM	164.00
E148CM	EPOXY KIT, LARGE	215.00
E154CM	EPOXY KIT, EXTRA LARGE	254.00
IP4000-1	4" INSPECTION PORT (INSTALLED WHEN ORDER WITH SUMP)	62.00

Factory Prepped

All PCI tank sumps can be prepared at the factory to save installers time and money.

"Twist-Lok" Access Cover

The latest generation of PCI's patented 12-Point "Twist-Lok" Access Covers provide a truly watertight seal with a quick and easy 12° turn. Economical 8-Lug Bolt-Down access covers are also available.



TSM606060D-3B1



8873 Western Way, Jacksonville, Florida, 32256 (904) 358-1700

www.petroleum-containment.com





TRANSITION SUMPS - GRADE LEVEL



PART NUMBER	DESCRIPTION	LID STYLE	MAX COUPLING*	ACCESS COVER	UNIT PRICE
TS372929-4B0	37" X 29" X 29" H	RAIN-TITE COVER	3	FIBERGLASS	1,364.00
TS372929-5B0	37" X 29" X 29" H	DIAMOND PLATE	3	METAL	1,645.00
TS372929-6B0	37" X 29" X 29" H	DIAMOND PLATE	3	METAL	1,695.00
TS462929-4B0	46" X 29" X 29" H	RAIN-TITE COVER	5	FIBERGLASS	1,493.00
TS462929-5B0	46" X 29" X 29" H	DIAMOND PLATE	5	METAL	1,832.00
TS462929-6B0	46" X 29" X 29" H	DIAMOND PLATE	5	METAL	1,882.00

* Couplings ordered separately

ADD-ON OPTIONS	DESCRIPTION	PRICE
CPLG-1	1" FORGED STEEL COUPLING	56.00
CPLG-1SS	1" FORGED STAINLESS STEEL COUPLING	112.00
CPLG-2	2" FORGED STEEL COUPLING	70.00
CPLG-2SS	2" FORGED STAINLESS STEEL COUPLING	227.00
CPLG-3	3" FORGED STEEL COUPLING	175.00
CPLG-4	4" FORGED STEEL COUPLING	290.00
VLSR-MB	BRACKETS FOR VENT RACK, SET OF TWO (2)	80.00

ACCESSORIES	DESCRIPTION	PRICE
VENT LINE SUPPORT RACKS		
VLSR-96X40	8FT RACK FOR TS37	625.00
VLSR-96X48	8FT RACK FOR TS46	695.00

Features and Benefits

Forged Steel Couplings

Will not deteriorate or crack from UV exposures.

Large Access Opening

Makes installation and service much easier.

Access Covers Available

For light-duty and heavy-duty applications.

Epoxy Powdercoated Steel with Stainless Steel Hardware

Stainless Steel Available

For Marina and Cold Weather Applications

Custom Sizes Available

TS462929-4B0
For grade level in non-traffic areas

TS372929-5B0
Utilized as a vent box or an AST transition



Petroleum Containment manufactures transition sumps of various shapes, sizes and lid applications as standard models.

We can also custom engineer virtually any shape / size to meet the specs of your application at an affordable price with a quick lead time.



Prices subject to change without notification.



8873 Western Way, Jacksonville, Florida, 32256 (904) 358-1700

www.petroleum-containment.com



TANK COLLARS

PART NUMBER	DESCRIPTION	UNIT PRICE
ROUND COLLARS		
4206CL-4	42" TANK COLLAR FOR 4 FT DIAMETER TANK	601.00
4206CL-5	42" TANK COLLAR FOR 5 FT DIAMETER TANK	601.00
4206CL-6	42" TANK COLLAR FOR 6 FT DIAMETER TANK	601.00
4206CL-7	42" TANK COLLAR FOR 7 FT DIAMETER TANK	601.00
4206CL-8	42" TANK COLLAR FOR 8 FT DIAMETER TANK	516.00
4206CL-1	42" TANK COLLAR FOR 10 FT DIAMETER TANK	516.00
4806CL-5	48" TANK COLLAR FOR 5 FT DIAMETER TANK	650.00
4806CL-6	48" TANK COLLAR FOR 6 FT DIAMETER TANK	650.00
4806CL-7	48" TANK COLLAR FOR 7 FT DIAMETER TANK	650.00
4806CL-8	48" TANK COLLAR FOR 8 FT DIAMETER TANK	650.00
4806CL-1	48" TANK COLLAR FOR 10 FT DIAMETER TANK	650.00
SQUARE COLLARS		
CL4242-1	42" TANK COLLAR FOR 10 FT DIAMETER TANK	522.00
CL4242-8	42" TANK COLLAR FOR 8 FT DIAMETER TANK	522.00

ACCESSORIES		
GK-55TS	FIBERGLASS KIT FOR INSTALLING TANK COLLAR	150.00

Fiberglass Tank Collars are the most reliable method of tank sump installation.

Prevent future headaches from cracks in the bottom of your tank collar installed by the tank manufacturer.

Fiberglass tank collars can be installed directly onto fiberglass, steel and jacketed tanks.

Features and Benefits

42" and 48" Diameter Tank Collars

Precut for Easy Installation

To fit directly onto 4', 5', 5' 6" 7' 8' and 10' diameter tanks without modification.

Universal Design

The tank sump can be installed with a traditional fiberglass kit, or it can be installed with a traditional fiberglass kit, or it can be installed with an epoxy kit, making a watertight seal as easy as a single pour.

Rigid Construction

Made from UL listed Isophthalic fiberglass with a thick sidewall construction. The collar will provide a sturdy mount while personnel enter and exit the tank sump.

Nestable Design

Reduces shipping and inventory costs.

PRECUT TO TANK SIZE	
-4	FITS 4' DIAMETER TANKS
-5	FITS 5' DIAMETER TANKS
-6	FITS 6' DIAMETER TANKS
-7	FITS 7' DIAMETER TANKS
-8	FITS 8' DIAMETER TANKS
-1	FITS 10' DIAMETER TANKS



* Prices subject to change without notification.



8873 Western Way, Jacksonville, Florida, 32256 (904) 358-1700

www.petroleum-containment.com



FIBERGLASS PENETRATION FITTING PRICE LIST

FULL RING PASS-THRU SERIES (FRP)

PART NUMBER	DESCRIPTION	PRICE
FLAT WALL		
PF-FRP-1F-C1	1" CONDUIT	53.00
PF-FRP-1F-C8	3/4" CONDUIT	53.00
PF-FRP-1F-L2	2" LCX	53.00
PF-FRP-1F-L3	3" LCX	61.00
PF-FRP-1F-L4	4" LCX	71.00
PF-FRP-1F-R2	2" RTII	53.00
PF-FRP-1F-R3	3" RTII	61.00
PF-FRP-1F-R4	4" RTII	71.00

ROUND WALL

PF-FRP-1R-C1	1" CONDUIT	91.00
PF-FRP-1R-C8	3/4" CONDUIT	91.00
PF-FRP-1R-L2	2" LCX	91.00
PF-FRP-1R-L3	3" LCX	99.00
PF-FRP-1R-L4	4" LCX	107.00
PF-FRP-1R-R2	2" RTII	91.00
PF-FRP-1R-R3	3" RTII	99.00
PF-FRP-1R-R4	4" RTII	107.00

TESTABLE PRIMARY TERMINATING (TPT)

FLAT WALL

PF-TPT-2F-32	2" PRIMARY FIBERGLASS PIPE	176.00
PF-TPT-2F-L2	2" PRIMARY FIBERGLASS PIPE W/ LCX BUSHING	198.00
PF-TPT-2F-43	3" PRIMARY FIBERGLASS PIPE	198.00
PF-TPT-2F-L3	3" PRIMARY FIBERGLASS PIPE W/ LCX BUSHING	231.00

ROUND WALL

PF-TPT-2R-32	2" PRIMARY FIBERGLASS PIPE	208.00
PF-TPT-2R-L2	2" PRIMARY FIBERGLASS PIPE W/ LCX BUSHING	242.00
PF-TPT-2R-43	3" PRIMARY FIBERGLASS PIPE	242.00
PF-TPT-2R-L3	3" PRIMARY FIBERGLASS PIPE W/ LCX BUSHING	274.00

FRP Features and Benefits

100% Fiberglass Construction
Will withstand long-term exposure to all fuels, including ethanol.

Allows Misalignment
Works with angled pipe entries up to 10°. Greater misalignment options available.

Cost Effective
Similar cost as most rubber or plastic fittings.

Long-Term Solution
Fiberglass penetration fittings exhibit superior corrosion resistance.

TPT Features and Benefits

Cost Effective
The TPT Series is the most affordable fiberglass penetration fitting on the market that incorporates secondary pipe testing.

Two Fittings In One
Separate test boots are not needed, saving time, money and space.

100% Fiberglass Construction
Will withstand long-term exposure to all fuels, including ethanol.

Allows Misalignment
Works with angled pipe entries up to 10°.

Long-Term Solution
Fiberglass penetration fittings exhibit superior corrosion resistance.



Full Ring Pass-Thru Series



Full Ring Pass-Thru Series



FRP For Conduit



Testable Penetration Fitting

Full Ring Pass-Thru / FRP

A great option for new construction, Full Ring Pass-Thru fittings are an economical and long term solution. Fiberglass will not deteriorate like rubber and plastic fittings.

Testable Penetration Fitting TPT

With a test port built into the Testable Penetration Fittings, our TPT series eliminate the need to have a separate test boot, thus saving time, money and space in an already crowded containment sump.

More secondary containment solutions available

Tank Sumps
Dispenser Sumps
Transition Sumps
Retrofit Tank Sump Lids
Penetration Fittings



* Other models and sizes available. Please contact us if model is not listed.



FIBERGLASS PENETRATION FITTING PRICE LIST

SPLIT REPAIR WITH BAND CLAMP (SRB SERIES)

PART NUMBER	DESCRIPTION	PRICE
SRB FITTINGS FOR FLAT WALL		
PF-SRB-1F-C8	SPLIT REPAIR W/ SS BAND CLAMP, 3/4" CONDUIT	70.00
PF-SRB-1F-C1	SPLIT REPAIR W/ SS BAND CLAMP, 1" CONDUIT	70.00
PF-SRB-1F-R2	SPLIT REPAIR W/ SS BAND CLAMP, 2" RTII PIPE	80.00
PF-SRB-1F-R3	SPLIT REPAIR W/ SS BAND CLAMP, 3" RTII PIPE	80.00
PF-SRB-1F-R4	SPLIT REPAIR W/ SS BAND CLAMP, 4" RTII PIPE	80.00
PF-SRB-1F-L2	SPLIT REPAIR W/ SS BAND CLAMP, 2" LCX PIPE	80.00
PF-SRB-1F-L3	SPLIT REPAIR W/ SS BAND CLAMP, 3" LCX PIPE	80.00
PF-SRB-1F-L4	SPLIT REPAIR W/ SS BAND CLAMP, 4" LCX PIPE	80.00
PF-SRB-1F-P15	SPLIT REPAIR W/ SS BAND CLAMP, W/ SLEEVE, 1.5" O.D. FLEX PIPE	81.00
PF-SRB-1F-P20	SPLIT REPAIR W/ SS BAND CLAMP, W/ SLEEVE, 2.0" O.D. FLEX PIPE	96.00
PF-SRB-1F-P25	SPLIT REPAIR W/ SS BAND CLAMP, W/ SLEEVE, 2.5" O.D. FLEX PIPE	99.00

SRB FITTINGS FOR ROUND WALL		
PF-SRB-1R-C8	SPLIT REPAIR W/ SS BAND CLAMP, 3/4" CONDUIT	91.00
PF-SRB-1R-C1	SPLIT REPAIR W/ SS BAND CLAMP, 1" CONDUIT	91.00
PF-SRB-1R-R2	SPLIT REPAIR W/ SS BAND CLAMP, 2" RTII PIPE	101.00
PF-SRB-1R-R3	SPLIT REPAIR W/ SS BAND CLAMP, 3" RTII PIPE	101.00
PF-SRB-1R-R4	SPLIT REPAIR W/ SS BAND CLAMP, 4" RTII PIPE	101.00
PF-SRB-1R-L2	SPLIT REPAIR W/ SS BAND CLAMP, 2" LCX PIPE	101.00
PF-SRB-1R-L3	SPLIT REPAIR W/ SS BAND CLAMP, 3" LCX PIPE	101.00
PF-SRB-1R-L4	SPLIT REPAIR W/ SS BAND CLAMP, 4" LCX PIPE	101.00
PF-SRB-1R-P15	SPLIT REPAIR W/ SS BAND CLAMP, W/ SLEEVE, 1.5" O.D. FLEX PIPE	102.00
PF-SRB-1R-P20	SPLIT REPAIR W/ SS BAND CLAMP, W/ SLEEVE, 2.0" O.D. FLEX PIPE	117.00
PF-SRB-1R-P25	SPLIT REPAIR W/ SS BAND CLAMP, W/ SLEEVE, 2.5" O.D. FLEX PIPE	120.00

BOLT STAND-OFF (BSO SERIES)

PART NUMBER	DESCRIPTION	PRICE
PF-BSO-1F-5022	SMALL BSO	96.00
PF-BSO-1F-7022	LARGE BSO	123.00



PF-SRB-1F-C8



PF-BSO-1F-5022

Split Repair With Band Clamp (SRB Series)

The design of the SRB series repair fittings make repairs straight forward. Ideal for cost sensitive repair projects, these repair fittings can be installed on both plastic and fiberglass sumps; options are available for most types of pipe. When used with our STF Series testable repair boots, a damaged penetration fitting can be replaced while retaining the ability to test secondary piping

Bolt Stand-Off (BSO Series)

Create a watertight repair around damaged penetration fittings by sealing to the sump wall around the fitting, and a clean section of pipe inside the sump. Used in tandem with the SRB Series split repair fittings, a repair solution is available for most situations. These repair fittings can be installed on both plastic and fiberglass sumps; options are available for most types of pipe. Use the small BSO for conduit and small diameter flex pipe. The large BSO will cover rubber penetration fittings for rigid pipe and larger diameter flex pipe.

More secondary containment solutions available

- Tank Sumps
- Dispenser Sumps
- Transition Sumps
- Retrofit Tank Sump Lids
- Penetration Fitting



SRB Features and Benefits

Cost Effective
Most affordable fiberglass repair fitting on the market.

Fiberglass Construction
Will withstand long-term exposure to all fuels, including ethanol.

Allows Misalignment
Works with angled pipe entries up to 20°.

Simple Design
Stainless Steel band clamp holds all parts in place until epoxy cures.

BSO Features and Benefits

Leave Existing Fittings
The BSO Series encapsulates existing penetration fittings and seals around them.

Universal Fit
Two sizes of BSO fittings are available to be used in conjunction with any of the SRB Series split repairs.

Fiberglass Construction
Will withstand long-term exposure to all fuels, including ethanol.

Simple Design
Stainless Steel band clamp holds all parts in place until epoxy cures.

* Other models and sizes available. Please contact us if model is not listed.



8873 Western Way, Jacksonville, Florida, 32256 (904) 358-1700

www.petroleum-containment.com



FIBERGLASS PENETRATION FITTING PRICE LIST

SPLIT REPAIR FITTING (SRF)

PART NUMBER	DESCRIPTION	PRICE
FLAT WALL		
PF-SRF-3F-C8	3/4 CONDUIT	105.00
PF-SRF-3F-C1	1" CONDUIT	105.00
PF-SRF-3F-L2	2" LCX	120.00
PF-SRF-3F-L3	3" LCX	120.00
PF-SRF-3F-L4	4" LCX	120.00
PF-SRF-3F-R2	2" RTI	120.00
PF-SRF-3F-R3	3" RTI	120.00
PF-SRF-3F-R4	4" RTI	120.00

ROUND WALL

PF-SRF-3R-C8	3/4 CONDUIT	105.00
PF-SRF-3R-C1	1" CONDUIT	105.00
PF-SRF-3R-L2	2" LCX	143.00
PF-SRF-3R-L3	3" LCX	143.00
PF-SRF-3R-L4	4" LCX	143.00
PF-SRF-3R-R2	2" RTII	143.00
PF-SRF-3R-R3	3" RTII	143.00
PF-SRF-3R-R4	4" RTII	143.00



SRF Series



SRS Series



STF Series

SPLIT REPAIR WITH SLEEVE (SRS)

PF-SRS-3F-P15	FOR FLEX PIPE, 1.5" OD	205.00
PF-SRS-3F-P20	FOR FLEX PIPE, 2.0" OD	205.00
PF-SRS-3F-P25	FOR FLEX PIPE, 2.5" OD	205.00

SPLIT TEST FITTING (STF)

PF-STF-1C-32	3/2 PIPE	105.00
PF-STF-1C-L2	2" LCX	131.00
PF-STF-1C-43	4/3 PIPE	131.00
PF-STF-1C-L3	3" LCX	158.00

ADHESIVES AND ACCESSORIES

EP2A-6OZ	PENETRATION FITTING EPOXY, 6OZ KIT	24.00
EP2A-450ML	PENETRATION FITTING EPOXY, 450ML CARTRIDGE	87.00
EQP-EP450	APPLICATOR GUN FOR TWO-PART EPOXY	215.00
EPQ-EP450-PN	PNEUMATIC GUN FOR TWO-PART EPOXY	625.00
SK-EP	SUPPLIES FOR EPOXY PASTE	16.00
ADH-CM30G	PENETRATION FITTING, POLY ADHESIVE, 30G TUBE	90.00
ADH-CM30G-K	PENETRATION FITTING, POLY ADHESIVE, 30G KIT (PROMOTER / ACCELERATOR)	149.00
ADH-CM300G	PENETRATION FITTING, POLY ADHESIVE, 300G TUBE	289.00
ADH-CM300G-K	PENETRATION FITTING, POLY ADHESIVE, 300G KIT (PROMOTER / ACCELERATOR)	349.00

SRF Features and Benefits

- Cam-Lock design
- Fiberglass construction
- Allows misalignments
- Cost effective
- Long-term solution

SRS Features and Benefits

- Fiberglass construction
- Clear Magic Adhesive
- Cost effective
- Long-term solution

STF Features and Benefits

- Works with LCX and Size over Size Piping
- Offset Models for Size over Size Piping
- Permanently Installed - Not to be removed after testing

* Other models and sizes available. Please contact us if model is not listed.



EPQ-EP450-PN



Bonding Kits



Split Repair Fitting / SRF

Easily replace leaking rubber and plastic penetration fittings with fiberglass fitting without disconnecting pipe.

Split Repair for Flex Pipe / SRS

Will withstand long-term exposure to all fuels, including ethanol. Clear Magic Adhesive, Industry best adhesive for polyethylene bonding applications.

Split Test Fitting / STF

Replace rubber test boots that are deteriorated or damaged without disconnecting piping.

More secondary containment solutions available

- Tank Sumps
- Dispenser Sumps
- Transition Sumps
- Retrofit Tank Sump Lids
- Penetration Fittings



8873 Western Way, Jacksonville, Florida, 32256 (904) 358-1700

www.petroleum-containment.com

PETROLEUM CONTAINMENT, INC.

DOUBLE WALL PRICE LIST

DISPENSER SUMPS	DESCRIPTION	PRICE
CLEDW	CLE SERIES DISPENSER SUMP, DOUBLE WALL, LARGE	2,161.00
CLSDW	CLS SERIES DISPENSER SUMP, DOUBLE WALL, SMALL	2,074.00
DPDW	DP SERIES DISPENSER PAN, DOUBLE WALL	1,580.00
RSCDW	RSC SERIES DISPENSER SUMP, DOUBLE WALL, LARGE	1,980.00
RSSDW	RSC SERIES DISPENSER SUMP, DOUBLE WALL, SMALL	1,696.00
DEFDW	DEF SERIES DISPENSER SUMP, DOUBLE WALL	3,954.00
SVA	SHEAR VALVE STABILIZER BAR KIT	66.00

48" SQUARE TANK SUMPS	SUMP HEIGHT	LID STYLE	BASE STYLE	BONDING KITS INCLUDED	PRICE
TSMDW484836BU-3C9	40-52"	TWIST-LOK	FOR 42" DW COLLAR	(2) EF148DW / (2) GK-55TS	4,479.00
TSMDW484848DU-3C9	52-64"	TWIST-LOK	FOR 42" DW COLLAR	(2) EF148DW / (2) GK-55TS	4,977.00

42" SQUARE COLLAR	DESCRIPTION	PRICE
CLDW4206-8	42" TANK COLLAR, DOUBLE WALL, FOR 8FT DIA TANK	1,025.00
CLDW4206-10	42" TANK COLLAR, DOUBLE WALL, FOR 10FT DIA TANK	1,025.00

ACCESSORIES	DESCRIPTION	PRICE
BRINE5GAL	INTERSTITIAL FLUID, 5 GAL	100.00
HDW-BRINE-ADP	INTERSTITIAL FLUID CONVERSION KIT	95.00
HDW-BRINE-VAC	VACUUM PUMP FOR DOUBLE WALL SUMPS	250.00

BONDING KITS	DESCRIPTION	PRICE
GK-55TS	FIBERGLASS SEAM KIT	150.00
EF148DW	EPOXY BONDING KIT FOR DOUBLEWALL TANK SUMPS	215.00

Features and Benefits

Double Wall Sumps
Avoid expensive 3 year hydrostatic testing

Meets 2015 EPA UST regulations

Continuous or periodic monitoring

Dry interstitial, vacuum monitored or Brine filled


Dispenser Sumps
For all current dispenser models

Shipped under vacuum

Available pre-plumbed from the factory to simplify penetration installation.

Tanks Sumps
Square design allows for better penetrations and provides more room inside

Interstitial communicates with doublewall tank collar



Double Wall Dispenser Sumps

Double wall dispenser sumps are available in a variety of styles, including a cost effective dispenser pan option. Choose the style that best meets your needs.

Monitoring Options

A variety of monitoring and testing options can be selected to satisfy local regulations and requirements. From dry or fluid filled interstitial to vacuum interstice monitoring, PCI has all the options to best fit your installation and compliance needs.

Pre-Plumbed Dispensers

For added sump integrity, have PCI install all of the penetration fittings and internal equipment at the factory. These sumps will come pre-tested and under vacuum to ensure integrity during shipping.

More secondary containment solutions available

- Tank Sumps
- Dispenser Sumps
- Transition Sumps
- Retrofit Tank Sump Lids
- Penetration Fittings






TANK SUMP ACCESSORIES

TANK SUMP ADAPTER (TSA SERIES)		
PART NUMBER	DESCRIPTION	PRICE
TSA400	4" TANK FITTING	315.00
TSA-400-IF	INSTALLATION FIXTURE FOR TSA400 (REUSABLE)	69.00



TSA400



Tank Sump Adapter (TSA Series)
If your installation does not allow for a collar mounted sump, PCI tank sump adapters provide a secure and economical alternative.

Additionally, the composite construction eliminates flange corrosion, and improves protection of the steel pipe fittings.

PCI tank sump adapters are also a great method for installing a retrofit tank sump.

Features and Benefits

Cost Effective

The TSA fitting is the most economical method of installing a water-tight tank sump.

100% Fiberglass Flange

Composite flanges eliminate the need for drilling bolt holes in the bottom of the sump.

Retrofit Sump Installations

The TSA fitting can easily adapt the tank to allow a secondary containment sump to be installed.

Thick Fiberglass Flange

Engineered to be heavy duty, the TSA Series can cope with any jobsite.

Stainless Steel Options

Stainless steel options are available for the most demanding corrosion resistance.

More secondary containment solutions available

- Tank Sumps
- Dispenser Sumps
- Transition Sumps
- Retrofit Tank Sump Lids
- Penetration Fitting



* Other models and sizes available. Please contact us if model is not listed.



PETROLEUM CONTAINMENT, INC.

ACCESSORIES

REPLACEMENT ACCESS COVERS		PRICE
PC34AC-10PLS	10-POINT TWIST-LOK LID REPLACEMENT	684.00
12PLS-2	12-POINT TWIST-LOK LID REPLACEMENT	645.00

ACCESS COVER ACCESSORIES		PRICE
PC34AC-GASK	REPLACEMENT GASKET FOR 10-POINT TWIST-LOK LID	229.00
12PLS-14	REPLACEMENT GASKET FOR 12-POINT TWIST-LOK LID	128.00
HDW-HDLSS6	STAINLESS STEEL HANDLE FOR ACCESS COVERS	40.00
IP4000-1	4" INSPECTION PORT (INSTALLED WHEN ORDERED WITH LID)	62.00
DL4OZ	DRY LUBRICANT FOR PCI TWIST-LOK ACCESS COVERS	14.00
DL4OZ6PK	DRY LUBRICANT FOR PCI TWIST-LOK ACCESS COVERS (6 PACK)	70.00
GAK-500	REPLACEMENT GASKET ADHESIVE	36.00

FIBERGLASS BONDING KITS		PRICE
GK-42	FIBERGLASS KIT FOR 42" DIA (RESIN, HARDENER, MAT, GELCOAT)	99.00
GK-55	FIBERGLASS KIT FOR 55" DIA (RESIN, HARDENER, MAT, GELCOAT)	125.00
GK-55TS	FIBERGLASS KIT FOR 55" DIA (RESIN, HARDENER, MAT, GELCOAT, PUTTY)	150.00

EPOXY BONDING KITS		PRICE
E132AR	EPOXY BONDING KIT, POURABLE (SMALL)	99.00
E142CM	EPOXY BONDING KIT, POURABLE (MEDIUM)	164.00
E148CM	EPOXY BONDING KIT, POURABLE (LARGE)	215.00
E154CM	EPOXY BONDING KIT, POURABLE (EXTRA LARGE)	254.00
EP2A-6OZ	EPOXY BONDING KIT FOR PENETRATION FITTINGS 6OZ TUB	24.00
EP2A-450	EPOXY BONDING KIT FOR PENETRATION FITTINGS 450 ML CARTRIDGE	87.00
SM450-12PK	STATIC MIXERS FOR EP2A-450, CASE OF 12	56.00
EQP-EP450	ADHESIVE APPLICATOR FOR 450ML CARTRIDGES	215.00
EQP-EP450-PN	PNEUMATIC ADHESIVE APPLICATOR FOR 450 ML CARTRIDGES	625.00

ADHESIVES		PRICE
ADH-CM30G	PENETRATION FITTING, POLY ADHESIVE, 30G TUBE	90.00
ADH-CM30G-K	PENETRATION FITTING, POLY ADHESIVE, 30G TUBE (PROMOTER / ACCELERATOR)	149.00
ADH-CM300G	PENETRATION FITTING, POLY ADHESIVE, 300G TUBE	289.00
ADH-CM300G-K	PENETRATION FITTING, POLY ADHESIVE, 300G TUBE (PROMOTER / ACCELERATOR)	349.00
ADH-FG50ML	PETRO-WELD FIBERGLASS ADHESIVE (2 - 50 ML CARTRIDGES)	100.00
ADH-FG490ML	PETRO-WELD FIBERGLASS ADHESIVE (490 ML CARTRIDGES)	210.00
EQP-50ML101DMA	ADHESIVE APPLICATOR FOR 50 ML CARTRIDGES	105.00

SEALANTS		PRICE
BOSTIKCS	BOSTIK ADHESIVE (CASE OF 24)	331.00
BOSTIK	BOSTIK ADHESIVE (SINGLE TUBE)	15.00

SUPPLIES KITS		PRICE
SK-EP	FOR EPOXY PASTE PENETRATION FITTINGS	16.00
SK-GK	FOR FIBERGLASS KIT	17.85
SK-ROLLER	FIBERGLASS ROLLER	26.95



Replacement Access Cover



4" Inspection Port
Installed when ordered
with lid



Epoxy Bonding Kit



Petro-Weld Adhesive
with Applicator



Bostik Adhesive



* Prices subject to change without notification.



8873 Western Way, Jacksonville, Florida, 32256 (904) 358-1700

www.petroleum-containment.com



DISPENSER CONVERSION KITS

DISPENSER CONVERSION FRAMES AND PLATES

PART NUMBER	DISPENSER MODEL	PRICE
CONVERSION FRAME		
CFR174001	GILBARCO ENCORE, HARDWARE INCLUDED	525.00
CFR146001	WAYNE OVATION, HARDWARE INCLUDED	525.00
CONVERSION PLATE		
CPT174001	GILBARCO ENCORE, HARDWARE INCLUDED	240.00
CPT146001	WAYNE OVATION, HARDWARE INCLUDED	240.00

REPLACEMENT HARDWARE

		PRICE
HDW-CPT	CONVERSION FRAME ANCHORING HARDWARE, 4 PACK	25.00
HDW-CFR	CONVERSION PLATE ANCHORING HARDWARE, 4 PACK	45.00

Features and Benefits

Standard Sizes

PCI offers conversion frames to fit most dispenser frames currently available.

Heavy Duty Design

Manufactured from heavy gauge steel, and powder coated for improved corrosion resistance.

Custom Options

Stainless steel and unique sizes are available to best suite your needs.

Cost Effective

Adapt existing sumps to work with any model dispenser during EMV upgrades.



CFR174001



CPT146001

Dispenser Conversion Frames and Plates

Conversion Frames are an economical way to remain compliant while without replacing existing underground containment.

PCI manufactures high quality frames that fit most dispenser models. Custom options are available for unique applications.

More secondary containment solutions available

- Tank Sumps
- Dispenser Sumps
- Transition Sumps
- Retrofit Tank Sump Lids
- Penetration Fitting



Additional models and options are available.

* CPT Series Conversion Plates may require modification of existing sump frame.



8873 Western Way, Jacksonville, Florida, 32256 (904) 358-1700

www.petroleum-containment.com



EXCEEDING THE STANDARDS IN SECONDARY CONTAINMENT

NOTICE OF RIGHTS AND RESERVATIONS

All of the information contained in this literature is accurate and valid at the time this was printed. Petroleum Containment, Inc. reserves the right to change or modify any and all information including, but not limited to, pricing, model numbers, availability and any other changes it sees fit without written notice. It is recommended to contact Petroleum Containment, Inc. or an authorized representative before quoting any of the products listed in this literature.

PC-PL001 REV 05/2021



8873 Western Way, Jacksonville, Florida 32256
904 358-1700 | Fax 904 358-1702

www.petroleum-containment.com